TABLE 1
Trends in Lifetime Prevalence of Use of Various Drugs for Eighth, Tenth, and Twelfth Graders
(Entries are percentages)

| | <u>Lifetime</u> | | | | | | | | | | |
|---|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-----------------------|
| | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | '99-'00 change |
| Any Illicit Drug ^a 8th Grade 10th Grade 12th Grade | 18.7 30.6 44.1 | 20.6 29.8 40.7 | 22.5 32.8 42.9 | 25.7 37.4 45.6 | 28.5 40.9 48.4 | 31.2 45.4 50.8 | 29.4 47.3 54.3 | 29.0 44.9 54.1 | 28.3 46.2 54.7 | 26.8 45.6 54.0 | -1.5 -0.6 -0.7 |
| Any Illicit Drug Other Than Marijuana ^a 8th Grade 10th Grade 12th Grade | 14.3 19.1 26.9 | 15.6 19.2 25.1 | 16.8 20.9 26.7 | 17.5 21.7 27.6 | 18.8 24.3 28.1 | 19.2 25.5 28.5 | 17.7 25.0 30.0 | 16.9 23.6 29.4 | 16.3 24.0 29.4 | 15.8 23.1 29.0 | -0.6 -0.9 -0.3 |
| Any Illicit Drug Including Inhalants ^{a,b} 8th Grade 10th Grade 12th Grade | 28.5 36.1 47.6 | 29.6 36.2 44.4 | 32.3 38.7 46.6 | 35.1 42.7 49.1 | 38.1 45.9 51.5 | 39.4 49.8 53.5 | 38.1 50.9 56.3 | 37.8 49.3 56.1 | 37.2 49.9 56.3 | 35.1 49.3 57.0 | -2.0 -0.6 +0.8 |
| Marijuana/Hashish 8th Grade 10th Grade 12th Grade | 10.2 23.4 36.7 | 11.2 21.4 32.6 | 12.6 24.4 35.3 | 16.7 30.4 38.2 | 19.9 34.1 41.7 | 23.1 39.8 44.9 | 22.6 42.3 49.6 | 22.2 39.6 49.1 | 22.0 40.9 49.7 | 20.3 40.3 48.8 | -1.8 -0.7 -0.9 |
| Inhalants ^{b.c} 8th Grade 10th Grade 12th Grade | 17.6 15.7 17.6 | 17.4 16.6 16.6 | 19.4 17.5 17.4 | 19.9 18.0 17.7 | 21.6 19.0 17.4 | 21.2 19.3 16.6 | 21.0 18.3 16.1 | 20.5 18.3 15.2 | 19.7 17.0 15.4 | 17.9 16.6 14.2 | -1.8s -0.4 -1.2 |
| Nitrites ^d 8th Grade 10th Grade 12th Grade | _ _ 1.6 | _ _ 1.5 | _ _ 1.4 | _ _ 1.7 | _ _ 1.5 | _ _ 1.8 | _ _ 2.0 | _ _ 2.7 | _ _ 1.7 | _ _ 0.8 | -0.8 |
| Hallucinogens ^c 8th Grade 10th Grade 12th Grade | 3.2 6.1 9.6 | 3.8 6.4 9.2 | 3.9 6.8 10.9 | 4.3 8.1 11.4 | 5.2 9.3 12.7 | 5.9 10.5 14.0 | 5.4 10.5 15.1 | 4.9 9.8 14.1 | 4.8 9.7 13.7 | 4.6 8.9 13.0 | -0.1 -0.8 -0.7 |
| LSD 8th Grade 10th Grade 12th Grade | 2.7 5.6 8.8 | 3.2 5.8 8.6 | 3.5 6.2 10.3 | 3.7 7.2 10.5 | 4.4 8.4 11.7 | 5.1 9.4 12.6 | 4.7 9.5 13.6 | 4.1 8.5 12.6 | 4.1 8.5 12.2 | 3.9 7.6 11.1 | -0.2 -1.0 -1.1 |
| Hallucinogens Other Than LSD 8th Grade 10th Grade 12th Grade | 1.4 2.2 3.7 | 1.7 2.5 3.3 | 1.7 2.8 3.9 | 2.2 3.8 4.9 | 2.5 3.9 5.4 | 3.0 4.7 6.8 | 2.6 4.8 7.5 | 2.5 5.0 7.1 | 2.4 4.7 6.7 | 2.3 4.8 6.9 | -0.1 +0.1 +0.2 |
| PCP ^d 8th Grade 10th Grade 12th Grade | | | | | _ | _ | _ 3.9 | _ 3.9 | _ 3.4 | _ 3.4 | _ _ -0.1 |

(Table continued on next page)

TABLE 1 (cont.)
Trends in Lifetime Prevalence of Use of Various Drugs for Eighth, Tenth, and Twelfth Graders

| | <u>Lifetime</u> | | | | | | | | | 200 200 | |
|---|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|---------------------|--------------------------|
| | <u>1991</u> | <u>1992</u> | <u>1993</u> | <u>1994</u> | <u>1995</u> | <u>1996</u> | 1997 | 1998 | 1999 | 2000 | '99–'00 <u>change</u> |
| MDMA (Ecstasy) ^d 8th Grade 10th Grade 12th Grade | _ _ _ | _ _ _ | _ _ _ | _ _ _ | _ _ _ | 3.4 5.6 6.1 | 3.2 5.7 6.9 | 2.7 5.1 5.8 | 2.7 6.0 8.0 | 7.3 | +1.6ss +1.3 +3.0s |
| Cocaine 8th Grade 10th Grade 12th Grade | 2.3 4.1 7.8 | 2.9 3.3 6.1 | 2.9 3.6 6.1 | 3.6 4.3 5.9 | 4.2 5.0 6.0 | 4.5 6.5 7.1 | 4.4 7.1 8.7 | 4.6 7.2 9.3 | 4.7 7.7 9.8 | 4.5 6.9 8.6 | -0.2 -0.9 -1.2 |
| Crack 8th Grade 10th Grade 12th Grade | 1.3 1.7 3.1 | 1.6 1.5 2.6 | 1.7 1.8 2.6 | 2.4 2.1 3.0 | 2.7 2.8 3.0 | 2.9 3.3 3.3 | 2.7 3.6 3.9 | 3.2 3.9 4.4 | 3.1 4.0 4.6 | 3.1 3.7 3.9 | 0.0 -0.3 -0.7s |
| Other Cocaine ^e 8th Grade 10th Grade 12th Grade | 2.0 3.8 7.0 | 2.4 3.0 5.3 | 2.4 3.3 5.4 | 3.0 3.8 5.2 | 3.4 4.4 5.1 | 3.8 5.5 6.4 | 3.5 6.1 8.2 | 3.7 6.4 8.4 | 3.8 6.8 8.8 | 3.5 6.0 7.7 | -0.3 -0.8 -1.1 |
| Heroin ^f 8th Grade 10th Grade 12th Grade | 1.2 1.2 0.9 | 1.4 1.2 1.2 | 1.4 1.3 1.1 | 2.0 1.5 1.2 | 2.3 1.7 1.6 | 2.4 2.1 1.8 | 2.1 2.1 2.1 | 2.3 2.3 2.0 | 2.3 2.3 2.0 | 1.9 2.2 2.4 | -0.4 -0.1 +0.4 |
| With a needle ^g 8th Grade 10th Grade 12th Grade | | _ _ _ | _ | _ _ _ | 1.5 1.0 0.7 | 1.6 1.1 0.8 | 1.3 1.1 0.9 | 1.4 1.2 0.8 | 1.6 1.3 0.9 | 1.1 1.0 0.8 | -0.5ss -0.2 -0.1 |
| Without a needle ^g 8th Grade 10th Grade 12th Grade | _ | | _ | _ | 1.5 1.1 1.4 | 1.6 1.7 1.7 | 1.4 1.7 2.1 | 1.5 1.7 1.6 | 1.4 1.6 1.8 | 1.3 1.7 2.4 | -0.1 0.0 +0.6 |
| Other Narcotics ^h 8th Grade 10th Grade 12th Grade | _ _ 6.6 | _ _ 6.1 | _ | _ _ 6.6 | _ _ 7.2 | _ _ 8.2 | _ _ 9.7 | _ _ 9.8 | _ _ 10.2 | _ _ 10.6 | +0.4 |
| Amphetamines ^h 8th Grade 10th Grade 12th Grade | 10.5 13.2 15.4 | 10.8 13.1 13.9 | 11.8 14.9 15.1 | 12.3 15.1 15.7 | 13.1 17.4 15.3 | 13.5 17.7 15.3 | 12.3 17.0 16.5 | 11.3 16.0 16.4 | 10.7 15.7 16.3 | 9.9 15.7 15.6 | -0.8 +0.1 -0.7 |
| Methamphetamine ^{i,j} 8th Grade 10th Grade 12th Grade | | _ _ _ | _ | | | | _ | | 4.5 7.3 8.2 | 4.2 6.9 7.9 | -0.3 -0.5 -0.3 |

(Table continued on next page)

TABLE 1 (cont.)
Trends in Lifetime Prevalence of Use of Various Drugs for Eighth, Tenth, and Twelfth Graders

| | <u>Lifetime</u> | | | | | | | | 100 100 | | |
|---|-----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------------------|
| | <u>1991</u> | 1992 | <u>1993</u> | 1994 | <u>1995</u> | <u>1996</u> | <u>1997</u> | 1998 | 1999 | 2000 | '99–'00 <u>change</u> |
| Ice ^j 8th Grade | | | | | | | | | | | |
| 10th Grade | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | |
| 12th Grade | 3.3 | 2.9 | 3.1 | 3.4 | 3.9 | 4.4 | 4.4 | 5.3 | 4.8 | 4.0 | -0.8 |
| Barbiturates ^h | | | | | | | | | | | |
| 8th Grade | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ |
| 10th Grade 12th Grade | 6.2 | 5.5 | 6.3 | 7.0 | 7.4 | 7.6 | 8.1 | 8.7 | 8.9 | 92 | +0.2 |
| | 0.2 | 0.0 | 0.5 | 7.0 | 7.4 | 7.0 | 0.1 | 0.7 | 0.5 | ٥.٤ | +0.2 |
| Tranquilizers ^h 8th Grade | 3.8 | 4.1 | 4.4 | 4.6 | 4.5 | 5.3 | 4.8 | 4.6 | 4.4 | 4.4 | 0.0 |
| 10th Grade | 5.8 | 5.9 | 5.7 | 5.4 | 6.0 | 7.1 | 7.3 | 7.8 | 7.9 | | +0.1 |
| 12th Grade | 7.2 | 6.0 | 6.4 | 6.6 | 7.1 | 7.2 | 7.8 | 8.5 | 9.3 | 8.9 | -0.5 |
| Rohypnol ^{d,k} | | | | | | | | | | | |
| 8th Grade | _ | _ | _ | _ | _ | 1.5 | 1.1 | 1.4 | 1.3 | 1.0 | -0.3 |
| 10th Grade 12th Grade | _ | _ | _ | _ | _ | 1.5 1.2 | 1.7 1.8 | 2.0 3.0 | 1.8 2.0 | 1.3 1.5 | -0.5 -0.6 |
| Alcohol ¹ | | | | | | 1.2 | 1.0 | 5.0 | ۵.0 | 1.5 | -0.0 |
| Any use | | | | | | | | | | | |
| 8th Grade | 70.1 | 69.3 | 67.1 | _ | _ | _ | _ | _ | _ | _ | _ |
| | | | 55.7 | 55.8 | 54.5 | 55.3 | 53.8 | 52.5 | 52.1 | 51.7 | -0.4 |
| 10th Grade | 83.8 | 82.3 | 80.8 | 71.1 | — 70.5 | 71.0 | 72.0 | — 69.8 | 70.0 | 71.4 | |
| 12th Grade | 88.0 | 87.5 | 71.6 87.0 | 71.1 | 70.5 | 71.8 | 72.0 | 09.8 | 70.6 | 71.4 | +0.9 |
| Tatil Grade | 00.0 | 01.0 | 80.0 | 80.4 | 80.7 | 79.2 | 81.7 | 81.4 | 80.0 | 80.3 | +0.2 |
| Been Drunk ^j | | | | | | | | | | | |
| 8th Grade | 26.7 | 26.8 | 26.4 | 25.9 | 25.3 | 26.8 | 25.2 | 24.8 | 24.8 | | +0.3 |
| 10th Grade | 50.0 | 47.7 | 47.9 | 47.2 | 46.9 | 48.5 | 49.4 | 46.7 | 48.9 | | +0.4 |
| 12th Grade | 65.4 | 63.4 | 62.5 | 62.9 | 63.2 | 61.8 | 64.2 | 62.4 | 62.3 | 62.3 | 0.0 |
| Cigarettes | | | | | | | | | | | |
| Any use 8th Grade | 44.0 | 45.2 | 45.3 | 46.1 | 46.4 | 49.2 | 47.3 | 45.7 | 44.1 | 40.5 | -3.6sss |
| 10th Grade | 55.1 | 53.5 | 56.3 | 56.9 | 57.6 | 61.2 | 60.2 | 57.7 | 57.6 | 55.1 | -2.5s |
| 12th Grade | 63.1 | 61.8 | 61.9 | 62.0 | 64.2 | 63.5 | 65.4 | 65.3 | 64.6 | 62.5 | -2.1 |
| Smokeless Tobacco ^d | | | | | | | | | | | |
| 8th Grade | 22.2 | 20.7 | 18.7 | 19.9 | 20.0 | 20.4 | 16.8 | 15.0 | 14.4 | 12.8 | -1.6 |
| 10th Grade 12th Grade | 28.2 | 26.6 32.4 | 28.1 31.0 | 29.2 30.7 | 27.6 30.9 | 27.4 29.8 | 26.3 25.3 | 22.7 26.2 | 20.4 23.4 | 19.1 23.1 | -1.3 -0.4 |
| | | J&.4 | 31.0 | 30.7 | 30.3 | 20.0 | ۵۵.۵ | ۵0.۵ | ۵۵.٦ | ۵۵.1 | -0.4 |
| Steroids ¹ 8th Grade | 1.9 | 1.7 | 1.6 | 2.0 | 2.0 | 1.8 | 1.8 | 2.3 | 2.7 | 3.0 | +0.3 |
| 10th Grade | 1.8 | 1.7 | 1.7 | 1.8 | 2.0 | 1.8 | 2.0 | 2.0 | 2.7 | 3.5 | +0.8ss |
| 12th Grade | 2.1 | 2.1 | 2.0 | 2.4 | 2.3 | 1.9 | 2.4 | 2.7 | 2.9 | 2.5 | -0.4 |

(Table continued on next page)