

**TABLE 2**  
**Trends in Annual Prevalence of Use of Various Drugs**  
**for Eighth, Tenth, and Twelfth Graders**

|                                                      | <u>Annual</u> |             |             |             |             |             |             |             |             |             |             |             |             |             | '03-'04<br>change |
|------------------------------------------------------|---------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|
|                                                      | <u>1991</u>   | <u>1992</u> | <u>1993</u> | <u>1994</u> | <u>1995</u> | <u>1996</u> | <u>1997</u> | <u>1998</u> | <u>1999</u> | <u>2000</u> | <u>2001</u> | <u>2002</u> | <u>2003</u> | <u>2004</u> |                   |
| Any Illicit Drug <sup>a</sup>                        |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                            | 11.3          | 12.9        | 15.1        | 18.5        | 21.4        | 23.6        | 22.1        | 21.0        | 20.5        | 19.5        | 19.5        | 17.7        | 16.1        | 15.2        | -0.9              |
| 10th Grade                                           | 21.4          | 20.4        | 24.7        | 30.0        | 33.3        | 37.5        | 38.5        | 35.0        | 35.9        | 36.4        | 37.2        | 34.8        | 32.0        | 31.1        | -0.9              |
| 12th Grade                                           | 29.4          | 27.1        | 31.0        | 35.8        | 39.0        | 40.2        | 42.4        | 41.4        | 42.1        | 40.9        | 41.4        | 41.0        | 39.3        | 38.8        | -0.5              |
| Any Illicit Drug Other Than Marijuana <sup>a,b</sup> |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                            | 8.4           | 9.3         | 10.4        | 11.3        | 12.6        | 13.1        | 11.8        | 11.0        | 10.5        | 10.2†       | 10.8        | 8.8         | 8.8         | 7.9         | -0.8              |
| 10th Grade                                           | 12.2          | 12.3        | 13.9        | 15.2        | 17.5        | 18.4        | 18.2        | 16.6        | 16.7        | 16.7†       | 17.9        | 15.7        | 13.8        | 13.5        | -0.2              |
| 12th Grade                                           | 16.2          | 14.9        | 17.1        | 18.0        | 19.4        | 19.8        | 20.7        | 20.2        | 20.7        | 20.4†       | 21.6        | 20.9        | 19.8        | 20.5        | +0.6              |
| Any Illicit Drug Including Inhalants <sup>a,c</sup>  |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                            | 16.7          | 18.2        | 21.1        | 24.2        | 27.1        | 28.7        | 27.2        | 26.2        | 25.3        | 24.0        | 23.9        | 21.4        | 20.4        | 20.2        | -0.3              |
| 10th Grade                                           | 23.9          | 23.5        | 27.4        | 32.5        | 35.6        | 39.6        | 40.3        | 37.1        | 37.7        | 38.0        | 38.7        | 36.1        | 33.5        | 32.9        | -0.6              |
| 12th Grade                                           | 31.2          | 28.8        | 32.5        | 37.6        | 40.2        | 41.9        | 43.3        | 42.4        | 42.8        | 42.5        | 42.6        | 42.1        | 40.5        | 39.1        | -1.4              |
| Marijuana/Hashish                                    |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                            | 6.2           | 7.2         | 9.2         | 13.0        | 15.8        | 18.3        | 17.7        | 16.9        | 16.5        | 15.6        | 15.4        | 14.6        | 12.8        | 11.8        | -0.9              |
| 10th Grade                                           | 16.5          | 15.2        | 19.2        | 25.2        | 28.7        | 33.6        | 34.8        | 31.1        | 32.1        | 32.2        | 32.7        | 30.3        | 28.2        | 27.5        | -0.8              |
| 12th Grade                                           | 23.9          | 21.9        | 26.0        | 30.7        | 34.7        | 35.8        | 38.5        | 37.5        | 37.8        | 36.5        | 37.0        | 36.2        | 34.9        | 34.3        | -0.6              |
| Inhalants <sup>c,d</sup>                             |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                            | 9.0           | 9.5         | 11.0        | 11.7        | 12.8        | 12.2        | 11.8        | 11.1        | 10.3        | 9.4         | 9.1         | 7.7         | 8.7         | 9.6         | +0.9              |
| 10th Grade                                           | 7.1           | 7.5         | 8.4         | 9.1         | 9.6         | 9.5         | 8.7         | 8.0         | 7.2         | 7.3         | 6.6         | 5.8         | 5.4         | 5.9         | +0.5              |
| 12th Grade                                           | 6.6           | 6.2         | 7.0         | 7.7         | 8.0         | 7.6         | 6.7         | 6.2         | 5.6         | 5.9         | 4.5         | 4.5         | 3.9         | 4.2         | +0.2              |
| Nitrites <sup>e</sup>                                |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                            | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 10th Grade                                           | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 12th Grade                                           | 0.9           | 0.5         | 0.9         | 1.1         | 1.1         | 1.6         | 1.2         | 1.4         | 0.9         | 0.6         | 0.6         | 1.1         | 0.9         | 0.8         | -0.2              |
| Hallucinogens <sup>b,f</sup>                         |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                            | 1.9           | 2.5         | 2.6         | 2.7         | 3.6         | 4.1         | 3.7         | 3.4         | 2.9         | 2.8†        | 3.4         | 2.6         | 2.6         | 2.2         | -0.3              |
| 10th Grade                                           | 4.0           | 4.3         | 4.7         | 5.8         | 7.2         | 7.8         | 7.6         | 6.9         | 6.9         | 6.1†        | 6.2         | 4.7         | 4.1         | 4.1         | 0.0               |
| 12th Grade                                           | 5.8           | 5.9         | 7.4         | 7.6         | 9.3         | 10.1        | 9.8         | 9.0         | 9.4         | 8.1†        | 9.1         | 6.6         | 5.9         | 6.2         | +0.2              |
| LSD                                                  |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                            | 1.7           | 2.1         | 2.3         | 2.4         | 3.2         | 3.5         | 3.2         | 2.8         | 2.4         | 2.4         | 2.2         | 1.5         | 1.3         | 1.1         | -0.2              |
| 10th Grade                                           | 3.7           | 4.0         | 4.2         | 5.2         | 6.5         | 6.9         | 6.7         | 5.9         | 6.0         | 5.1         | 4.1         | 2.6         | 1.7         | 1.6         | -0.1              |
| 12th Grade                                           | 5.2           | 5.6         | 6.8         | 6.9         | 8.4         | 8.8         | 8.4         | 7.6         | 8.1         | 6.6         | 6.6         | 3.5         | 1.9         | 2.2         | +0.4              |
| Hallucinogens Other Than LSD <sup>b</sup>            |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                            | 0.7           | 1.1         | 1.0         | 1.3         | 1.7         | 2.0         | 1.8         | 1.6         | 1.5         | 1.4†        | 2.4         | 2.1         | 2.1         | 1.9         | -0.3              |
| 10th Grade                                           | 1.3           | 1.4         | 1.9         | 2.4         | 2.8         | 3.3         | 3.3         | 3.4         | 3.2         | 3.1†        | 4.3         | 4.0         | 3.6         | 3.7         | +0.2              |
| 12th Grade                                           | 2.0           | 1.7         | 2.2         | 3.1         | 3.8         | 4.4         | 4.6         | 4.6         | 4.3         | 4.4†        | 5.9         | 5.4         | 5.4         | 5.6         | +0.2              |
| PCP <sup>e</sup>                                     |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                            | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 10th Grade                                           | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 12th Grade                                           | 1.4           | 1.4         | 1.4         | 1.6         | 1.8         | 2.6         | 2.3         | 2.1         | 1.8         | 2.3         | 1.8         | 1.1         | 1.3         | 0.7         | -0.6              |

(Table continued on next page)

**TABLE 2 (cont'd)**  
**Trends in Annual Prevalence of Use of Various Drugs**  
**for Eighth, Tenth, and Twelfth Graders**

|                                | <u>Annual</u> |      |      |      |      |      |      |      |      |      |      |      |      |      | '03-'04<br>change |
|--------------------------------|---------------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------------------|
|                                | 1991          | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 |                   |
| MDMA (Ecstasy) <sup>g</sup>    |               |      |      |      |      |      |      |      |      |      |      |      |      |      |                   |
| 8th Grade                      | —             | —    | —    | —    | —    | 2.3  | 2.3  | 1.8  | 1.7  | 3.1  | 3.5  | 2.9  | 2.1  | 1.7  | -0.3              |
| 10th Grade                     | —             | —    | —    | —    | —    | 4.6  | 3.9  | 3.3  | 4.4  | 5.4  | 6.2  | 4.9  | 3.0  | 2.4  | -0.6              |
| 12th Grade                     | —             | —    | —    | —    | —    | 4.6  | 4.0  | 3.6  | 5.6  | 8.2  | 9.2  | 7.4  | 4.5  | 4.0  | -0.6              |
| Cocaine                        |               |      |      |      |      |      |      |      |      |      |      |      |      |      |                   |
| 8th Grade                      | 1.1           | 1.5  | 1.7  | 2.1  | 2.6  | 3.0  | 2.8  | 3.1  | 2.7  | 2.6  | 2.5  | 2.3  | 2.2  | 2.0  | -0.2              |
| 10th Grade                     | 2.2           | 1.9  | 2.1  | 2.8  | 3.5  | 4.2  | 4.7  | 4.7  | 4.9  | 4.4  | 3.6  | 4.0  | 3.3  | 3.7  | +0.4              |
| 12th Grade                     | 3.5           | 3.1  | 3.3  | 3.6  | 4.0  | 4.9  | 5.5  | 5.7  | 6.2  | 5.0  | 4.8  | 5.0  | 4.8  | 5.3  | +0.5              |
| Crack                          |               |      |      |      |      |      |      |      |      |      |      |      |      |      |                   |
| 8th Grade                      | 0.7           | 0.9  | 1.0  | 1.3  | 1.6  | 1.8  | 1.7  | 2.1  | 1.8  | 1.8  | 1.7  | 1.6  | 1.6  | 1.3  | -0.2              |
| 10th Grade                     | 0.9           | 0.9  | 1.1  | 1.4  | 1.8  | 2.1  | 2.2  | 2.5  | 2.4  | 2.2  | 1.8  | 2.3  | 1.6  | 1.7  | +0.1              |
| 12th Grade                     | 1.5           | 1.5  | 1.5  | 1.9  | 2.1  | 2.1  | 2.4  | 2.5  | 2.7  | 2.2  | 2.1  | 2.3  | 2.2  | 2.3  | +0.1              |
| Other Cocaine <sup>h</sup>     |               |      |      |      |      |      |      |      |      |      |      |      |      |      |                   |
| 8th Grade                      | 1.0           | 1.2  | 1.3  | 1.7  | 2.1  | 2.5  | 2.2  | 2.4  | 2.3  | 1.9  | 1.9  | 1.8  | 1.6  | 1.6  | -0.1              |
| 10th Grade                     | 2.1           | 1.7  | 1.8  | 2.4  | 3.0  | 3.5  | 4.1  | 4.0  | 4.4  | 3.8  | 3.0  | 3.4  | 2.8  | 3.3  | +0.5              |
| 12th Grade                     | 3.2           | 2.6  | 2.9  | 3.0  | 3.4  | 4.2  | 5.0  | 4.9  | 5.8  | 4.5  | 4.4  | 4.4  | 4.2  | 4.7  | +0.5              |
| Heroin <sup>i</sup>            |               |      |      |      |      |      |      |      |      |      |      |      |      |      |                   |
| 8th Grade                      | 0.7           | 0.7  | 0.7  | 1.2  | 1.4  | 1.6  | 1.3  | 1.3  | 1.4  | 1.1  | 1.0  | 0.9  | 0.9  | 1.0  | 0.0               |
| 10th Grade                     | 0.5           | 0.6  | 0.7  | 0.9  | 1.1  | 1.2  | 1.4  | 1.4  | 1.4  | 1.4  | 0.9  | 1.1  | 0.7  | 0.9  | +0.2              |
| 12th Grade                     | 0.4           | 0.6  | 0.5  | 0.6  | 1.1  | 1.0  | 1.2  | 1.0  | 1.1  | 1.5  | 0.9  | 1.0  | 0.8  | 0.9  | +0.1              |
| With a Needle <sup>l</sup>     |               |      |      |      |      |      |      |      |      |      |      |      |      |      |                   |
| 8th Grade                      | —             | —    | —    | —    | 0.9  | 1.0  | 0.8  | 0.8  | 0.9  | 0.6  | 0.7  | 0.6  | 0.6  | 0.7  | +0.1              |
| 10th Grade                     | —             | —    | —    | —    | 0.6  | 0.7  | 0.7  | 0.8  | 0.6  | 0.5  | 0.4  | 0.6  | 0.5  | 0.5  | 0.0               |
| 12th Grade                     | —             | —    | —    | —    | 0.5  | 0.5  | 0.5  | 0.4  | 0.4  | 0.4  | 0.3  | 0.4  | 0.4  | 0.4  | 0.0               |
| Without a Needle <sup>j</sup>  |               |      |      |      |      |      |      |      |      |      |      |      |      |      |                   |
| 8th Grade                      | —             | —    | —    | —    | 0.8  | 1.0  | 0.8  | 0.8  | 0.9  | 0.7  | 0.6  | 0.6  | 0.6  | 0.6  | -0.1              |
| 10th Grade                     | —             | —    | —    | —    | 0.8  | 0.9  | 1.1  | 1.0  | 1.1  | 1.1  | 0.7  | 0.8  | 0.5  | 0.7  | +0.1              |
| 12th Grade                     | —             | —    | —    | —    | 1.0  | 1.0  | 1.2  | 0.8  | 1.0  | 1.6  | 0.8  | 0.8  | 0.8  | 0.7  | -0.1              |
| Other Narcotics <sup>k,l</sup> |               |      |      |      |      |      |      |      |      |      |      |      |      |      |                   |
| 8th Grade                      | —             | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | —                 |
| 10th Grade                     | —             | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | —                 |
| 12th Grade                     | 3.5           | 3.3  | 3.6  | 3.8  | 4.7  | 5.4  | 6.2  | 6.3  | 6.7  | 7.0  | 6.7  | 9.4  | 9.3  | 9.5  | +0.3              |
| OxyContin <sup>m,n</sup>       |               |      |      |      |      |      |      |      |      |      |      |      |      |      |                   |
| 8th Grade                      | —             | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | 1.3  | 1.7  | 1.7  | 0.0               |
| 10th Grade                     | —             | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | 3.0  | 3.6  | 3.5  | -0.1              |
| 12th Grade                     | —             | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | 4.0  | 4.5  | 5.0  | +0.5              |
| Vicodin <sup>m,n</sup>         |               |      |      |      |      |      |      |      |      |      |      |      |      |      |                   |
| 8th Grade                      | —             | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | 2.5  | 2.8  | 2.5  | -0.3              |
| 10th Grade                     | —             | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | 6.9  | 7.2  | 6.2  | -1.0              |
| 12th Grade                     | —             | —    | —    | —    | —    | —    | —    | —    | —    | —    | —    | 9.6  | 10.5 | 9.3  | -1.3              |
| Amphetamines <sup>k</sup>      |               |      |      |      |      |      |      |      |      |      |      |      |      |      |                   |
| 8th Grade                      | 6.2           | 6.5  | 7.2  | 7.9  | 8.7  | 9.1  | 8.1  | 7.2  | 6.9  | 6.5  | 6.7  | 5.5  | 5.5  | 4.9  | -0.6              |
| 10th Grade                     | 8.2           | 8.2  | 9.6  | 10.2 | 11.9 | 12.4 | 12.1 | 10.7 | 10.4 | 11.1 | 11.7 | 10.7 | 9.0  | 8.5  | -0.5              |
| 12th Grade                     | 8.2           | 7.1  | 8.4  | 9.4  | 9.3  | 9.5  | 10.2 | 10.1 | 10.2 | 10.5 | 10.9 | 11.1 | 9.9  | 10.0 | +0.1              |

(Table continued on next page)

**TABLE 2 (cont'd)**  
**Trends in Annual Prevalence of Use of Various Drugs**  
**for Eighth, Tenth, and Twelfth Graders**

|                                      | <u>Annual</u> |             |             |             |             |             |             |             |             |             |             |             |             |             | '03-'04<br>change |
|--------------------------------------|---------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|
|                                      | <u>1991</u>   | <u>1992</u> | <u>1993</u> | <u>1994</u> | <u>1995</u> | <u>1996</u> | <u>1997</u> | <u>1998</u> | <u>1999</u> | <u>2000</u> | <u>2001</u> | <u>2002</u> | <u>2003</u> | <u>2004</u> |                   |
| Ritalin <sup>m,n</sup>               |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                            | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | 2.9         | 2.8         | 2.6         | 2.5         | -0.1              |
| 10th Grade                           | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | 4.8         | 4.8         | 4.1         | 3.4         | -0.7              |
| 12th Grade                           | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | 5.1         | 4.0         | 4.0         | 5.1         | +1.1              |
| Methamphetamine <sup>m,n</sup>       |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                            | —             | —           | —           | —           | —           | —           | —           | —           | 3.2         | 2.5         | 2.8         | 2.2         | 2.5         | 1.5         | -1.0 ss           |
| 10th Grade                           | —             | —           | —           | —           | —           | —           | —           | —           | 4.6         | 4.0         | 3.7         | 3.9         | 3.3         | 3.0         | -0.3              |
| 12th Grade                           | —             | —           | —           | —           | —           | —           | —           | —           | 4.7         | 4.3         | 3.9         | 3.6         | 3.2         | 3.4         | +0.2              |
| Ice <sup>n</sup>                     |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                            | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 10th Grade                           | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 12th Grade                           | 1.4           | 1.3         | 1.7         | 1.8         | 2.4         | 2.8         | 2.3         | 3.0         | 1.9         | 2.2         | 2.5         | 3.0         | 2.0         | 2.1         | +0.1              |
| Sedatives (Barbituates) <sup>k</sup> |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                            | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 10th Grade                           | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 12th Grade                           | 3.4           | 2.8         | 3.4         | 4.1         | 4.7         | 4.9         | 5.1         | 5.5         | 5.8         | 6.2         | 5.7         | 6.7         | 6.0         | 6.5         | +0.5              |
| Methaqualone <sup>e,k</sup>          |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                            | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 10th Grade                           | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 12th Grade                           | 0.5           | 0.6         | 0.2         | 0.8         | 0.7         | 1.1         | 1.0         | 1.1         | 1.1         | 0.3         | 0.8         | 0.9         | 0.6         | 0.8         | +0.2              |
| Tranquilizers <sup>b,k</sup>         |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                            | 1.8           | 2.0         | 2.1         | 2.4         | 2.7         | 3.3         | 2.9         | 2.6         | 2.5         | 2.6†        | 2.8         | 2.6         | 2.7         | 2.5         | -0.1              |
| 10th Grade                           | 3.2           | 3.5         | 3.3         | 3.3         | 4.0         | 4.6         | 4.9         | 5.1         | 5.4         | 5.6†        | 7.3         | 6.3         | 5.3         | 5.1         | -0.2              |
| 12th Grade                           | 3.6           | 2.8         | 3.5         | 3.7         | 4.4         | 4.6         | 4.7         | 5.5         | 5.8         | 5.7†        | 6.9         | 7.7         | 6.7         | 7.3         | +0.6              |
| Rohypnol <sup>p</sup>                |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                            | —             | —           | —           | —           | —           | 1.0         | 0.8         | 0.8         | 0.5         | 0.5         | 0.7         | 0.3         | 0.5         | 0.6         | +0.1              |
| 10th Grade                           | —             | —           | —           | —           | —           | 1.1         | 1.3         | 1.2         | 1.0         | 0.8         | 1.0         | 0.7         | 0.6         | 0.7         | +0.1              |
| 12th Grade                           | —             | —           | —           | —           | —           | 1.1         | 1.2         | 1.4         | 1.0         | 0.8         | 0.9†        | 1.6         | 1.3         | 1.6         | +0.3              |
| GHB <sup>m,r</sup>                   |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                            | —             | —           | —           | —           | —           | —           | —           | —           | —           | 1.2         | 1.1         | 0.8         | 0.9         | 0.7         | -0.2              |
| 10th Grade                           | —             | —           | —           | —           | —           | —           | —           | —           | —           | 1.1         | 1.0         | 1.4         | 1.4         | 0.8         | -0.6 s            |
| 12th Grade                           | —             | —           | —           | —           | —           | —           | —           | —           | —           | 1.9         | 1.6         | 1.5         | 1.4         | 2.0         | +0.6              |
| Ketamine <sup>m,s</sup>              |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                            | —             | —           | —           | —           | —           | —           | —           | —           | —           | 1.6         | 1.3         | 1.3         | 1.1         | 0.9         | -0.3              |
| 10th Grade                           | —             | —           | —           | —           | —           | —           | —           | —           | —           | 2.1         | 2.1         | 2.2         | 1.9         | 1.3         | -0.6 s            |
| 12th Grade                           | —             | —           | —           | —           | —           | —           | —           | —           | —           | 2.5         | 2.5         | 2.6         | 2.1         | 1.9         | -0.2              |
| Alcohol <sup>p</sup>                 |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| Any Use                              |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                            | 54.0          | 53.7†       | 45.4        | 46.8        | 45.3        | 46.5        | 45.5        | 43.7        | 43.5        | 43.1        | 41.9        | 38.7        | 37.2        | 36.7        | -0.5              |
| 10th Grade                           | 72.3          | 70.2†       | 63.4        | 63.9        | 63.5        | 65.0        | 65.2        | 62.7        | 63.7        | 65.3        | 63.5        | 60.0        | 59.3        | 58.2        | -1.1              |
| 12th Grade                           | 77.7          | 76.8†       | 72.7        | 73.0        | 73.7        | 72.5        | 74.8        | 74.3        | 73.8        | 73.2        | 73.3        | 71.5        | 70.1        | 70.6        | +0.5              |

(Table continued on next page)

**TABLE 2 (cont'd)**  
**Trends in Annual Prevalence of Use of Various Drugs**  
**for Eighth, Tenth, and Twelfth Graders**

|                                               | <u>Annual</u> |             |             |             |             |             |             |             |             |             |             |             |             |             | '03-'04<br>change |
|-----------------------------------------------|---------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------|
|                                               | <u>1991</u>   | <u>1992</u> | <u>1993</u> | <u>1994</u> | <u>1995</u> | <u>1996</u> | <u>1997</u> | <u>1998</u> | <u>1999</u> | <u>2000</u> | <u>2001</u> | <u>2002</u> | <u>2003</u> | <u>2004</u> |                   |
| Flavored alcoholic beverages <sup>e,m,u</sup> |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                     | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 10th Grade                                    | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —                 |
| 12th Grade                                    | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | —           | 55.2        | 55.8        | +0.6              |
| Been Drunk <sup>n</sup>                       |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                     | 17.5          | 18.3        | 18.2        | 18.2        | 18.4        | 19.8        | 18.4        | 17.9        | 18.5        | 18.5        | 16.6        | 15.0        | 14.5        | 14.5        | 0.0               |
| 10th Grade                                    | 40.1          | 37.0        | 37.8        | 38.0        | 38.5        | 40.1        | 40.7        | 38.3        | 40.9        | 41.6        | 39.9        | 35.4        | 34.7        | 35.1        | +0.4              |
| 12th Grade                                    | 52.7          | 50.3        | 49.6        | 51.7        | 52.5        | 51.9        | 53.2        | 52.0        | 53.2        | 51.8        | 53.2        | 50.4        | 48.0        | 51.8        | +3.8              |
| Bidis <sup>m,n</sup>                          |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                     | —             | —           | —           | —           | —           | —           | —           | —           | —           | 3.9         | 2.7         | 2.7         | 2.0         | 1.7         | -0.3              |
| 10th Grade                                    | —             | —           | —           | —           | —           | —           | —           | —           | —           | 6.4         | 4.9         | 3.1         | 2.8         | 2.1         | -0.7              |
| 12th Grade                                    | —             | —           | —           | —           | —           | —           | —           | —           | —           | 9.2         | 7.0         | 5.9         | 4.0         | 3.6         | -0.4              |
| Kreteks <sup>m,n</sup>                        |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                     | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | 2.6         | 2.6         | 2.0         | 1.9         | -0.1              |
| 10th Grade                                    | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | 6.0         | 4.9         | 3.8         | 3.7         | -0.2              |
| 12th Grade                                    | —             | —           | —           | —           | —           | —           | —           | —           | —           | —           | 10.1        | 8.4         | 6.7         | 6.5         | -0.2              |
| Steroids <sup>n</sup>                         |               |             |             |             |             |             |             |             |             |             |             |             |             |             |                   |
| 8th Grade                                     | 1.0           | 1.1         | 0.9         | 1.2         | 1.0         | 0.9         | 1.0         | 1.2         | 1.7         | 1.7         | 1.6         | 1.5         | 1.4         | 1.1         | -0.3 s            |
| 10th Grade                                    | 1.1           | 1.1         | 1.0         | 1.1         | 1.2         | 1.2         | 1.2         | 1.2         | 1.7         | 2.2         | 2.1         | 2.2         | 1.7         | 1.5         | -0.2              |
| 12th Grade                                    | 1.4           | 1.1         | 1.2         | 1.3         | 1.5         | 1.4         | 1.4         | 1.7         | 1.8         | 1.7         | 2.4         | 2.5         | 2.1         | 2.5         | +0.4              |

NOTE: See Table 1 for relevant footnotes.

SOURCE: The Monitoring the Future Study, the University of Michigan.