TABLE 14
Trends in Disapproval of Drug Use in Grade 12

Percentage who disapprove or strongly disapprove^b Do you disapprove of people (who are 18 or older) doing each of the following? 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 Trying marijuana once or twice 47.0 38.4 33.4 33.4 34.2 39.0 40.0 45.5 46.3 49.3 51.4 54.6 56.6 60.8 64.6 67.8 68.7 Smoking marijuana occasionally 54.8 47.8 44.3 43.5 45.3 49.7 52.6 59.1 60.7 63.5 65.8 69.0 71.6 74.0 77.2 80.5 79.4 84.7 Smoking marijuana regularly 71.9 69.5 65.5 67.5 69.2 74.6 77.4 80.6 82.5 85.5 86.6 89.2 89.3 89.8 91.0 89.3 Trying LSD once or twice 82.8 84.6 83.9 85.4 86.6 87.3 86.4 88.8 89.1 88.9 89.5 89.2 91.6 89.8 89.7 89.8 90.1 Taking LSD regularly 95.3 95.8 96.4 96.9 96.7 96.8 96.7 97.0 96.8 97.0 96.6 97.8 96.4 96.4 96.3 96.4 Trying ecstasy (MDMA, Molly) once or twice^c Trying cocaine once or twice 81.3 82.4 79.1 77.0 74.7 76.6 77.0 80.2 87.3 89.1 90.5 91.5 93.6 76.3 74.6 79.7 79.3 Taking cocaine regularly 93.3 93.9 92.1 91.9 90.8 90.7 91.5 93.2 94.5 93.8 94.3 96.7 96.2 96.4 96.7 97.3 Trying crack once or twice 92.3 92 1 Taking crack occasionally 94.3 94.2 Taking crack regularly 94.9 95.0 Trying cocaine powder once or twice 88.0 87.9 Taking cocaine powder occasionally 92.1 93.0 Taking cocaine powder regularly 93.7 94.4 94.0 Trying heroin once or twice 915 92.6 92.5 92.0 93.4 93.5 93.5 94.6 94.3 94.0 93.3 96.2 95.0 95.4 95.1 Taking heroin occasionally 96.7 97.3 94.8 96.0 96.0 96.4 96.8 96.7 97.2 96.9 96.9 97.1 96.8 96.6 97.9 96.9 97.2 Taking heroin regularly 97.6 97.4 97.8 96.7 97.5 97.2 97.8 97.9 97.6 97.8 97.5 97.7 98.0 97.6 98.1 97.2 97.5 Trying heroin once or twice without using a needle Taking heroin occasionally without using a needle Trying amphetamines once or twice d 74.8 75.1 74.2 75.1 71.1 72.6 72.3 74.9 80.7 82.5 86.5 74.8 75.4 72.8 76.5 83.3 85.3 Taking amphetamines regularly d 92.1 92.8 92.5 93.5 94.4 93.0 91.7 92.0 92.6 93.6 93.3 93.5 95.4 94.2 94.2 95.5 96.0 Trying sedatives (barbiturates) once or twice e 77.7 81.3 81.1 82.4 84.0 83.9 82.4 84.4 83.1 84.1 84.9 86.8 89.6 89.4 89.3 90.5 90.6 Taking sedatives (barbiturates) regularly e 93.3 93.6 93.0 95.2 94.2 94 4 95.1 95.1 95.5 94.9 96.4 95.3 95.3 96.4 97.1 94.3 95.4 Trying one or two drinks of an alcoholic beverage (beer, wine, liquor) 21.6 18.2 15.6 15.6 15.8 16.0 17.2 18.2 18.4 17.4 20.3 20.9 21.4 22.6 27.3 29.4 29.8 67.6 68.3 68.9 Taking one or two drinks nearly every day 68.9 66.8 67.7 69.0 69.1 69.9 72.9 70.9 72.8 74.2 75.0 76.5 77.9 76.5 Taking four or five drinks nearly every day 90.9 90.0 92.0 92.2 90.7 88.4 90.2 91.7 90.8 91.8 91.0 91.4 92.8 91.6 91.9 90.6 Having five or more drinks once or twice each weekend 60.3 58.6 57.4 56.2 56.7 55.6 55.5 58.8 56.6 59.6 60.4 62.4 62.0 65.3 66.5 68.9 67.4 Smoking one or more packs of cigarettes per day 67.5 65.9 66.4 70.3 70.8 69.9 69.4 70.8 73.0 72.3 75.4 74.3 73.1 72.4 72.8 71.4 Vape an e-liquid with nicotine occasionally Vape an e-liquid with nicotine regularly Vape marijuana occasionally f Vape marijuana regularly f Use JUUL occasionally 1 Use JUUL regularly f Taking steroids 90.8 90.5

Approximate weighted N = 2,677

2.957

3.085

3,686

3,221

3,261

3,610

3,651

3,341

3,254

3,265

3,113

3,302

3,311

2,799

2,566

2,547

Table continued on next page.

TABLE 14 (cont.)
Trends in <u>Disapproval</u> of Drug Use in <u>Grade 12</u>

Percentage who disapprove or strongly disapprove^b

						Percenta	age who	uisappio	ve or suc	origiy dis	approve					
Do you disapprove of people (who are 18 or older)																
doing each of the following?	<u>1992</u>	<u>1993</u>	<u>1994</u>	<u>1995</u>	<u>1996</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	2000	2001	2002	2003	2004	2005	2006	2007
Trying marijuana once or twice	69.9	63.3	57.6	56.7	52.5	51.0	51.6	48.8	52.5	49.1	51.6	53.4	52.7	55.0	55.6	58.6
Smoking marijuana occasionally	79.7	75.5	68.9	66.7	62.9	63.2	64.4	62.5	65.8	63.2	63.4	64.2	65.4	67.8	69.3	70.2
Smoking marijuana regularly	90.1	87.6	82.3	81.9	80.0	78.8	81.2	78.6	79.7	79.3	78.3	78.7	80.7	82.0	82.2	83.3
Trying LSD once or twice	88.1	85.9	82.5	81.1	79.6	80.5	82.1	83.0	82.4	81.8	84.6	85.5	87.9	87.9	88.0	87.8
Taking LSD regularly	95.5	95.8	94.3	92.5	93.2	92.9	93.5	94.3	94.2	94.0	94.0	94.4	94.6	95.6	95.9	94.9
Trying ecstasy (MDMA, Molly) once or twice ^c	_	_	_	_	_	82.2	82.5	82.1	81.0	79.5	83.6	84.7	87.7	88.4	89.0	87.8
Trying cocaine once or twice	93.0	92.7	91.6	90.3	90.0	88.0	89.5	89.1	88.2	88.1	89.0	89.3	88.6	88.9	89.1	89.6
Taking cocaine regularly	96.9	97.5	96.6	96.1	95.6	96.0	95.6	94.9	95.5	94.9	95.0	95.8	95.4	96.0	96.1	96.2
Trying crack once or twice	93.1	89.9	89.5	91.4	87.4	87.0	86.7	87.6	87.5	87.0	87.8	86.6	86.9	86.7	88.8	88.8
Taking crack occasionally	95.0	92.8	92.8	94.0	91.2	91.3	90.9	92.3	91.9	91.6	91.5	90.8	92.1	91.9	92.9	92.4
Taking crack regularly	95.5	93.4	93.1	94.1	93.0	92.3	91.9	93.2	92.8	92.2	92.4	91.2	93.1	92.1	93.8	93.6
Trying cocaine powder once or twice	89.4	86.6	87.1	88.3	83.1	83.0	83.1	84.3	84.1	83.3	83.8	83.6	82.2	83.2	84.1	83.5
Taking cocaine powder occasionally	93.4	91.2	91.0	92.7	89.7	89.3	88.7	90.0	90.3	89.8	90.2	88.9	90.0	89.4	90.4	90.6
Taking cocaine powder regularly	94.3	93.0	92.5	93.8	92.9	91.5	91.1	92.3	92.6	92.5	92.2	90.7	92.6	92.0	93.2	92.6
Trying heroin once or twice	94.9	94.4	93.2	92.8	92.1	92.3	93.7	93.5	93.0	93.1	94.1	94.1	94.2	94.3	93.8	94.8
Taking heroin occasionally	96.8	97.0	96.2	95.7	95.0	95.4	96.1	95.7	96.0	95.4	95.6	95.9	96.4	96.3	96.2	96.8
Taking heroin regularly	97.2	97.5	97.1	96.4	96.3	96.4	96.6	96.4	96.6	96.2	96.2	97.1	97.1	96.7	96.9	97.1
Trying heroin once or twice without using a needle	_	_	_	92.9	90.8	92.3	93.0	92.6	94.0	91.7	93.1	92.2	93.1	93.2	93.7	93.6
Taking heroin occasionally without using a needle	_	_	_	94.7	93.2	94.4	94.3	93.8	95.2	93.5	94.4	93.5	94.4	95.0	94.5	94.9
Trying amphetamines once or twice d	86.9	84.2	81.3	82.2	79.9	81.3	82.5	81.9	82.1	82.3	83.8	85.8	84.1	86.1	86.3	87.3
Taking amphetamines regularly ^d	95.6	96.0	94.1	94.3	93.5	94.3	94.0	93.7	94.1	93.4	93.5	94.0	93.9	94.8	95.3	95.4
Trying sedatives (barbiturates) once or twice e	90.3	89.7	87.5	87.3	84.9	86.4	86.0	86.6	85.9	85.9	86.6	87.8‡	83.7	85.4	85.3	86.5
Taking sedatives (barbiturates) regularly ^e	96.5	97.0	96.1	95.2	94.8	95.3	94.6	94.7	95.2	94.5	94.7	94.4‡	94.2	95.2	95.1	94.6
Trying one or two drinks of an alcoholic beverage																
(beer, wine, liquor)	33.0	30.1	28.4	27.3	26.5	26.1	24.5	24.6	25.2	26.6	26.3	27.2	26.0	26.4	29.0	31.0
Taking one or two drinks nearly every day	75.9	77.8	73.1	73.3	70.8	70.0	69.4	67.2	70.0	69.2	69.1	68.9	69.5	70.8	72.8	73.3
Taking four or five drinks nearly every day	90.8	90.6	89.8	88.8	89.4	88.6	86.7	86.9	88.4	86.4	87.5	86.3	87.8	89.4	90.6	90.5
Having five or more drinks once or twice																
each weekend	70.7	70.1	65.1	66.7	64.7	65.0	63.8	62.7	65.2	62.9	64.7	64.2	65.7	66.5	68.5	68.8
Smoking one or more packs of cigarettes per day	73.5	70.6	69.8	68.2	67.2	67.1	68.8	69.5	70.1	71.6	73.6	74.8	76.2	79.8	81.5	80.7
Vape an e-liquid with nicotine occasionally	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Vape an e-liquid with nicotine regularly ^f	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Vape marijuana occasionally ^f	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Vape marijuana regularly ^f	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Use JUUL occasionally ^f	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Use JUUL regularly ^f	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Taking steroids	92.1	92.1	91.9	91.0	91.7	91.4	90.8	88.9	88.8	86.4	86.8	86.0	87.9	88.8	89.4	89.2
Approximate weighted N =	2,645	2,723	2,588	2,603	2,399	2,601	2,545	2,310	2,150	2,144	2,160	2,442	2,455	2,460	2,377	2,450

Table continued on next page.

TABLE 14 (cont.)
Trends in <u>Disapproval</u> of Drug Use in <u>Grade 12</u>

Percentage who disapprove or strongly disapprove^b

				1 010	critage	WIIO GISG	pprove o	i strongi	y uisappi	ove				
Do you disapprove of people (who are 18 or older)														2019–202
doing each of the following? ^a	2008	2009	2010	2011	2012	2013	2014	2015	<u>2016</u>	2017	2018	2019 ^g	2020	change
Trying marijuana once or twice	55.5	54.8	51.6	51.3	48.8	49.1	48.0	45.5	43.1	39.0	41.1	39.6	§	_
Smoking marijuana occasionally	67.3	65.6	62.0	60.9	59.1	58.9	56.7	52.9	50.5	46.7	49.2	46.6	§	_
Smoking marijuana regularly	79.6	80.3	77.7	77.5	77.8	74.5	73.4	70.7	68.5	64.7	66.7	66.7	§	_
Trying LSD once or twice	85.5	88.2	86.5	86.3	87.2	86.6	85.0	81.7	82.4	78.0	80.5	77.7	§	_
Taking LSD regularly	93.5	95.3	94.3	94.9	95.2	95.3	94.7	92.5	92.4	92.7	93.4	92.8	§	_
Trying ecstasy (MDMA, Molly) once or twice ^c	88.2	88.2	86.3	83.9	87.1	84.9‡	83.1	84.5	84.0	85.1	85.6	87.6	§	_
Trying cocaine once or twice	89.2	90.8	90.5	91.1	91.0	92.3	90.0	89.0	88.4	88.0	88.9	88.8	§	_
Taking cocaine regularly	94.8	96.5	96.0	96.0	96.8	96.7	96.3	95.2	94.8	94.8	95.8	95.8	§	_
Trying crack once or twice	89.6	90.9	89.8	91.4	92.8	91.4	89.3	90.2	90.1	89.7	90.4	85.8	_	_
Taking crack occasionally	93.3	94.0	92.6	93.9	95.0	93.6	91.9	92.5	92.0	91.8	92.2	87.4	_	_
Taking crack regularly	93.5	94.3	93.1	94.4	95.4	94.1	92.4	92.8	92.6	92.5	92.5	87.7	_	_
Trying cocaine powder once or twice	85.7	87.3	87.0	88.1	88.7	88.2	85.5	86.4	86.6	85.5	86.5	82.3	_	_
Taking cocaine powder occasionally	91.7	92.3	91.0	92.2	93.0	91.7	90.4	91.3	90.6	90.3	91.3	86.6	_	_
Taking cocaine powder regularly	92.8	93.9	92.6	93.8	95.0	94.1	91.7	92.4	92.0	92.2	92.0	88.0	_	_
Trying heroin once or twice	93.3	94.7	93.9	94.3	95.8	95.6	94.7	94.2	94.1	93.7	95.0	93.9	§	_
Taking heroin occasionally	95.3	96.9	96.2	96.3	97.0	96.9	96.6	95.3	95.5	95.5	96.4	95.9	§	_
Taking heroin regularly	95.9	97.4	96.4	96.7	97.4	97.4	97.1	96.4	95.7	95.9	96.8	96.3	§	_
Trying heroin once or twice without using a needle	94.2	94.7	93.2	92.6	95.2	93.7	92.5	92.6	93.8	93.3	93.0	95.0	§	_
Taking heroin occasionally without using a needle	95.3	95.5	94.5	94.1	95.9	94.6	93.5	92.8	94.0	93.8	93.4	95.1	§	_
Trying amphetamines once or twice ^d	87.2	88.2	88.1‡	84.1	83.9	84.9	83.1	81.4	82.1	81.9	81.0	83.5	§	_
Taking amphetamines regularly ^d	94.2	95.6	94.9‡	92.9	93.9	93.2	93.0	92.2	92.2	92.0	92.8	93.3	§	_
Trying sedatives (barbiturates) once or twice ^e	86.1	87.7	87.6	87.3	88.2	88.9	88.5	87.4	86.5	85.9	86.9	86.1	_	_
Taking sedatives (barbiturates) regularly ^e	94.3	95.8	94.7	95.1	96.1	95.8	95.0	94.7	94.8	94.4	95.3	94.6	_	_
Trying one or two drinks of an alcoholic beverage														
(beer, wine, liquor)	29.8	30.6	30.7	28.7	25.4	27.3	29.2	28.9	28.8	27.2	31.3	30.1	§	_
Taking one or two drinks nearly every day	73.3	74.5	70.5	71.5	72.8	70.8	71.9	71.7	71.1	71.8	70.8	74.1	§	_
Taking four or five drinks nearly every day	90.5	89.8	89.7	88.8	90.8	90.1	90.6	91.9	89.7	91.1	90.7	91.9	§	_
Having five or more drinks once or twice														
each weekend	68.9	67.6	68.8	70.0	70.1	71.6	72.6	71.9	74.2	72.5	75.8	70.2	§	_
Smoking one or more packs of cigarettes per day	80.5	81.8	81.0	83.0	83.7	82.6	85.0	84.1	85.3	86.6	89.0	87.7	§	_
Vape an e-liquid with nicotine occasionally	_	_	_	_	_	_	_	_	_	62.0	59.2	60.7	64.4	+3.6
Vape an e-liquid with nicotine regularly	_	_	_	_	_	_	_	_	_	71.8	70.9	70.7	77.5	+6.8 ss
Vape marijuana occasionally ^f	_	_	_	_	_	_	_	_	_	_	_	_	57.8	_
Vape marijuana regularly ^f	_	_	_	_	_	_	_	_	_	_	_	_	70.3	_
Use JUUL occasionally ^f	_	_	_	_	_	_	_	_	_	_	_	57.9	60.5	+2.6
Use JUUL regularly ^f		_	_	_	_	_	_	_	_	_	_	69.2	71.7	+2.5
Taking steroids	90.9	90.3	89.8	89.7	90.4	88.2	87.5	87.8	86.7	88.5	87.4	90.3	§	_
Approximate weighted N	= 2,314	2,233	2,449	2,384	2,301	2,147	2,078	2,193	2,000	1,870	1,918	1,103	617	

Table continued on next page.

TABLE 14 (cont.) Trends in Disapproval of Drug Use in Grade 12

Source. The Monitoring the Future study, the University of Michigan.

Notes. Level of significance of difference between the two most recent classes: s = .05, ss = .01, ss = .001. '—' indicates data not available. '‡' indicates that the question changed the following year. See relevant footnote for that drug. Any apparent inconsistency between the change estimate and the prevalence estimates for the two most recent years is due to rounding.

§This estimate is not presented in 2020 due to small sample size. The survey question for this estimate appears on a randomly-selected 1/6 of the questionnaires, and the number of responses is uniquely small in 2020 when the COVID-19 pandemic halted MTF data collection prematurely and the resulting sample size was only 25% of the target.

^aThe 1975 question asked about people who are 20 or older.

^bAnswer alternatives were: (1) Don't disapprove, (2) Disapprove, and (3) Strongly disapprove. Percentages are shown for categories (2) and (3) combined.

Beginning in 2014 "molly" was added to the question on disapproval of using MDMA once or twice. 2014 and 2015 data are not comparable to earlier years due to this change.

^dIn 2011 the list of examples was changed from upper, pep pill, bennie, speed to upper, speed, Adderall, Ritalin, etc. These changes likely explain the discontinuity in the 2011 results.

en 2004 the question text was changed from barbiturates to sedatives/barbiturates and the list of examples was changed from downers, goofballs, reds, yellows, etc. to just downers. These changes likely explain the discontinuity in the 2004 results.

^fBased on two of six forms; N is two times the N indicated.

⁹Drug prevalence results in 2019 combine results from paper-and-pencil surveys with those completed using electronic tablets. In 2019 students in a randomly-selected half of schools completed MTF surveys on paper-and-pencil and students in the other half completed the surveys using electronic tablets. Analysis of this randomized controlled trial demonstrated that these results did not significantly differ across survey mode (Miech, R.A., Couper, M.P., Heeringa, S. G., and Patrick M. E. Forthcoming. The Impact of Survey Mode on US National Estimates of Adolescent Drug Prevalence: Results from a Randomized Controlled Study, Addiction). Results for student attitudes and beliefs in 2019 are based on answers from electronic tablets only because these appear more susceptible to survey mode effects. Readers are cautioned that large changes in these results from 2018 to 2019 may stem from survey mode effects.