

FIGURE 1
MARIJUANA

Trends in Annual Prevalence among College Students and Noncollege Youth 1 to 4 Years beyond High School





FIGURE 2
MARIJUANA

Trends in 30-Day Prevalence of Daily Use among College Students and Noncollege Youth 1 to 4 Years beyond High School



Source. The Monitoring the Future study, the University of Michigan.

FIGURE 3
ANY ILLICIT DRUG OTHER THAN MARIJUANA
Trends in Annual Prevalence among College Students and Noncollege Youth
1 to 4 Years beyond High School





FIGURE 4
NARCOTICS OTHER THAN HEROIN^a
Trends in Annual Prevalence among College Students and Noncollege Youth
1 to 4 Years beyond High School



Source. The Monitoring the Future study, the University of Michigan.

^aIn 2002 the question text was changed on three of the six questionnaire forms. The list of examples of narcotics other than heroin was updated: Talwin, laudanum, and paregoric—all of which had negligible rates of use by 2001—were replaced by Vicodin, OxyContin, and Percocet. The 2002 data presented here are based on the changed forms only. In 2003 the remaining forms were changed.

FIGURE 5
AMPHETAMINES

Trends in Annual Prevalence among College Students and Noncollege Youth 1 to 4 Years beyond High School





FIGURE 6
MDMA (ECSTASY, MOLLY)^a

Trends in Annual Prevalence among College Students and Noncollege Youth 1 to 4 Years beyond High School



Source. The Monitoring the Future study, the University of Michigan.

^aIn 2014, a version of the question was added to one survey form that included "molly" in the description. In 2015, the remaining forms were changed to this updated wording.

FIGURE 7

LSD

**Trends in Annual Prevalence among College Students and Noncollege Youth
1 to 4 Years beyond High School**





FIGURE 8

COCAINE

**Trends in Annual Prevalence among College Students and Noncollege Youth
1 to 4 Years beyond High School**



Source. The Monitoring the Future study, the University of Michigan.

FIGURE 9
ALCOHOL

Trends in Two-Week Prevalence of Having 5 or More Drinks in a Row among College Students and Noncollege Youth 1 to 4 Years beyond High School





FIGURE 10
CIGARETTES

Trends in 30-Day Prevalence of Daily Use among College Students and Noncollege Youth 1 to 4 Years beyond High School



Source. The Monitoring the Future study, the University of Michigan.