

**TABLE 1**  
**Annual Prevalence of Use for Various Types of Drugs, 2018:**  
**Full-Time College Students vs. Noncollege Youth**  
**among Respondents 1 to 4 Years beyond High School**  
(Entries are percentages.)

	Full-Time College	Non- College
Any Illicit Drug <sup>a</sup>	45.2	44.6
Any Illicit Drug other than Marijuana <sup>a</sup>	18.0	17.7
Marijuana	42.6	42.5
Synthetic Marijuana <sup>b</sup>	1.6	2.3
Inhalants <sup>b</sup>	1.3	1.2
Hallucinogens <sup>c</sup>	5.1	6.9
LSD <sup>c</sup>	4.1	6.1
Hallucinogens other than LSD <sup>c</sup>	2.4	4.1
MDMA (Ecstasy, Molly) <sup>d,e</sup>	4.3	2.8
Salvia <sup>b</sup>	0.9	0.3
Cocaine	5.2	4.2
Crack <sup>c</sup>	0.4	*
Other Cocaine <sup>d</sup>	4.6	5.2
Heroin	*	0.5
Narcotics other than Heroin <sup>f</sup>	2.7	3.2
OxyContin <sup>b,f</sup>	1.6	1.6
Vicodin <sup>b,f</sup>	1.5	1.9
Amphetamines, Adjusted <sup>f,g</sup>	8.3	5.1
Ritalin <sup>b,f</sup>	1.3	1.3
Adderall <sup>b,f</sup>	11.0	8.1
Bath Salts (synthetic stimulants) <sup>b</sup>	*	0.3
Sedatives (Barbiturates) <sup>f</sup>	1.5	3.1
Tranquilizers <sup>f</sup>	3.5	3.7
Alcohol	74.6	70.1
Been Drunk <sup>b</sup>	59.2	50.1
Cigarettes	15.5	27.0
Tobacco using a Hookah <sup>b</sup>	11.4	16.2
Any Vaping <sup>i</sup>	32.4	31.6
Vaping Marijuana <sup>i</sup>	20.2	11.2
Vaping Nicotine <sup>i</sup>	33.7	20.6
Vaping Just Flavoring <sup>i</sup>	13.0	18.1
<i>Approximate Weighted N =</i>	<i>900</i>	<i>535</i>

Source. The Monitoring the Future study, the University of Michigan.

Notes. \* \* \* indicates a prevalence rate of less than 0.05%.

See footnotes following Table 3.

**TABLE 2**  
**Thirty-Day Prevalence of Use for Various Types of Drugs, 2018:**  
**Full-Time College Students vs. Noncollege Youth**  
**among Respondents 1 to 4 Years beyond High School**

(Entries are percentages.)

	Full-Time College	Non- College
Any Illicit Drug <sup>a</sup>	26.3	27.7
Any Illicit Drug other than Marijuana <sup>a</sup>	7.6	7.9
Marijuana	24.7	26.8
Inhalants <sup>b</sup>	0.2	0.8
Hallucinogens <sup>c</sup>	1.1	2.1
LSD <sup>c</sup>	1.0	1.3
Hallucinogens other than LSD <sup>c</sup>	0.4	1.2
MDMA (Ecstasy, Molly) <sup>d,e</sup>	1.3	0.9
Cocaine	2.2	1.4
Crack <sup>c</sup>	0.2	*
Other Cocaine <sup>d</sup>	1.9	1.5
Heroin	*	0.1
Narcotics other than Heroin <sup>f</sup>	1.0	0.5
Amphetamines, Adjusted <sup>f,g</sup>	2.9	1.8
Sedatives (Barbiturates) <sup>f</sup>	0.5	1.3
Tranquilizers <sup>f</sup>	1.1	1.2
Alcohol	59.6	50.3
Been Drunk <sup>b</sup>	37.8	24.3
Cigarettes	6.8	16.6
Any Vaping <sup>i</sup>	21.3	20.8
Vaping Marijuana <sup>i</sup>	10.9	7.9
Vaping Nicotine <sup>i</sup>	15.5	12.5
Vaping Just Flavoring <sup>i</sup>	4.8	8.5
<i>Approximate Weighted N =</i>	<i>900</i>	<i>535</i>

Source. The Monitoring the Future study, the University of Michigan.

Notes. \* \* \* indicates a prevalence rate of less than 0.05%.

See footnotes following Table 3.

**TABLE 3**  
**Thirty-Day Prevalence of Daily<sup>h</sup> Use for Various Types of Drugs, 2018:**  
**Full-Time College Students vs. Noncollege Youth**  
**among Respondents 1 to 4 Years beyond High School**

(Entries are percentages.)

	Full-Time College	Non- College
Marijuana	5.8	11.1
Alcohol		
Daily	2.3	2.5
5+ Drinks in a Row in Last 2 Weeks	28.4	24.9
Cigarettes		
Daily	1.9	10.1
1/2 Pack+/Day	0.5	4.8
<i>Approximate Weighted N =</i>	<i>900</i>	<i>535</i>

*Source.* The Monitoring the Future study, the University of Michigan.

*Notes.* \* \* \* indicates a prevalence rate of less than 0.05%.

See footnotes on the following page.

## Footnotes for Tables 1 through 3

<sup>a</sup>Use of any illicit drug includes any use of marijuana, hallucinogens, cocaine, heroin or other narcotics, amphetamines, sedatives (barbiturates), or tranquilizers not under a doctor's orders.

<sup>b</sup>This drug was asked about in three of the six questionnaire forms.

<sup>c</sup>This drug was asked about in five of the six questionnaire forms.

<sup>d</sup>This drug was asked about in four of the six questionnaire forms.

<sup>e</sup>Based on data from the revised question that includes "molly" as an example of MDMA

<sup>f</sup>Only drug use that was not under a doctor's orders is included here.

<sup>g</sup>Based on the data from the revised question, which attempts to exclude inappropriate reporting of nonprescription amphetamines.

<sup>h</sup>Daily use is defined as use on 20 or more occasions in the past 30 days except for cigarettes, measured as actual daily use, and 5+ drinks, measured as having five or more drinks in a row in the last two weeks.

<sup>i</sup>Vaping was asked about in two of the six questionnaire forms.