

**TABLE 1**  
**Annual Prevalence of Use for Various Types of Drugs, 2019:**  
**Full-Time College Students vs. Youth not in College**  
**among Respondents 1 to 4 Years beyond High School**  
(Entries are percentages.)

|  | Full-Time<br><u>College</u> | Youth not<br><u>in College</u> |
|--|-----------------------------|--------------------------------|
| Any Illicit Drug <sup>a</sup>                      | 46.5                        | 45.6                           |
| Any Illicit Drug other than Marijuana <sup>a</sup> | 16.8                        | 17.3                           |
| Marijuana  | 43.0                        | 42.6                           |
| Synthetic Marijuana <sup>b</sup>                   | 1.8                         | 1.6                            |
| Inhalants <sup>b</sup>                             | 1.3                         | 1.9                            |
| Hallucinogens <sup>c</sup>                         | 5.3                         | 7.9                            |
| LSD <sup>c</sup>                                   | 3.7                         | 6.0                            |
| Hallucinogens other than LSD <sup>c</sup>          | 3.3                         | 4.6                            |
| MDMA (Ecstasy, Molly) <sup>d,e</sup>               | 3.3                         | 4.1                            |
| Salvia <sup>b</sup>                                | 0.3                         | 1.3                            |
| Cocaine  | 5.6                         | 5.5                            |
| Crack <sup>i</sup>                                 | *                           | 1.2                            |
| Other Cocaine <sup>i</sup>                         | 3.5                         | 4.3                            |
| Heroin   | *                           | 0.1                            |
| Narcotics other than Heroin <sup>f</sup>           | 1.5                         | 3.3                            |
| OxyContin <sup>b,f</sup>                           | 2.5                         | 2.6                            |
| Vicodin <sup>b,f</sup>                             | 1.5                         | 2.0                            |
| Amphetamines, Adjusted <sup>f,g</sup>              | 8.1                         | 5.9                            |
| Ritalin <sup>b,f</sup>                             | 2.5                         | 2.2                            |
| Adderall <sup>b,f</sup>                            | 8.4                         | 5.8                            |
| Sedatives (Barbiturates) <sup>f</sup>              | 2.0                         | 3.0                            |
| Tranquilizers <sup>f</sup>                         | 3.0                         | 3.4                            |
| Alcohol  | 77.6                        | 66.8                           |
| Been Drunk <sup>b</sup>                            | 58.7                        | 48.6                           |
| Cigarettes   | 16.0                        | 27.2                           |
| Tobacco using a Hookah <sup>b</sup>                | 10.6                        | 8.7                            |
| Any Vaping <sup>d</sup>                            | 43.7                        | 40.5                           |
| Vaping Marijuana <sup>d</sup>                      | 25.5                        | 23.4                           |
| Vaping Nicotine <sup>d</sup>                       | 35.3                        | 29.5                           |
| Vaping Just Flavoring <sup>d</sup>                 | 15.6                        | 17.0                           |
| <i>Approximate Weighted N =</i>                    |                             |                                |
|  | <b>840</b>                  | <b>512</b>                     |

Source. The Monitoring the Future study, the University of Michigan.

Notes. \* \* indicates a prevalence rate of less than 0.05%.

See footnotes following Table 3.

**TABLE 2**  
**Thirty-Day Prevalence of Use for Various Types of Drugs, 2019:**  
**Full-Time College Students vs. Youth not in College**  
**among Respondents 1 to 4 Years beyond High School**

(Entries are percentages.)

|  | Full-Time<br>College | Youth not<br>in College |
|--|----------------------|-------------------------|
| Any Illicit Drug <sup>a</sup>                      | 29.7                 | 33.4                    |
| Any Illicit Drug other than Marijuana <sup>a</sup> | 7.6                  | 6.9                     |
| Marijuana  | 26.3                 | 32.6                    |
| Inhalants <sup>b</sup>                             | 0.4                  | 1.0                     |
| Hallucinogens <sup>c</sup>                         | 1.4                  | 2.1                     |
| LSD <sup>c</sup>                                   | 1.1                  | 1.1                     |
| Hallucinogens other than LSD <sup>c</sup>          | 0.8                  | 1.5                     |
| MDMA (Ecstasy, Molly) <sup>d,e</sup>               | 1.1                  | 1.4                     |
| Cocaine  | 2.4                  | 2.0                     |
| Crack <sup>i</sup>                                 | *                    | 1.2                     |
| Other Cocaine <sup>i</sup>                         | 1.3                  | 1.9                     |
| Heroin   | *                    | 0.1                     |
| Narcotics other than Heroin <sup>f</sup>           | 0.4                  | 0.4                     |
| Amphetamines, Adjusted <sup>f,g</sup>              | 3.4                  | 1.6                     |
| Sedatives (Barbiturates) <sup>f</sup>              | 0.5                  | 1.3                     |
| Tranquilizers <sup>f</sup>                         | 0.7                  | 1.1                     |
| Alcohol  | 62.2                 | 50.1                    |
| Been Drunk <sup>b</sup>                            | 34.8                 | 27.9                    |
| Cigarettes   | 7.9                  | 15.5                    |
| Any Vaping <sup>d</sup>                            | 28.5                 | 26.9                    |
| Vaping Marijuana <sup>d</sup>                      | 13.5                 | 16.6                    |
| Vaping Nicotine <sup>d</sup>                       | 22.1                 | 18.4                    |
| Vaping Just Flavoring <sup>d</sup>                 | 5.4                  | 5.2                     |
| <i>Approximate Weighted N =</i>                    | <i>840</i>           | <i>512</i>              |

*Source.* The Monitoring the Future study, the University of Michigan.

*Notes.* \* \* \* indicates a prevalence rate of less than 0.05%.

See footnotes following Table 3.

**TABLE 3**  
**Thirty-Day Prevalence of Daily<sup>h</sup> Use for Various Types of Drugs, 2019:**  
**Full-Time College Students vs. Youth not in College**  
**among Respondents 1 to 4 Years beyond High School**

(Entries are percentages.)

|                                    | Full-Time<br>College | Youth not<br>in College |
|------------------------------------|----------------------|-------------------------|
| Marijuana                          | 5.9                  | 14.6                    |
| Alcohol                            |                      |                         |
| Daily                              | 2.0                  | 3.1                     |
| 5+ Drinks in a Row in Last 2 Weeks | 32.7                 | 22.3                    |
| Cigarettes                         |                      |                         |
| Daily                              | 2.5                  | 8.0                     |
| 1/2 Pack+/Day                      | 0.7                  | 3.8                     |
| <i>Approximate Weighted N =</i>    | <i>840</i>           | <i>512</i>              |

*Source.* The Monitoring the Future study, the University of Michigan.

*Notes.* ' \* ' indicates a prevalence rate of less than 0.05%.

See footnotes on the following page.

## Footnotes for Tables 1 through 3

<sup>a</sup>Use of any illicit drug includes any use of marijuana, hallucinogens, cocaine, heroin or other narcotics, amphetamines, sedatives (barbiturates), or tranquilizers not under a doctor's orders.

<sup>b</sup>This drug was asked about in three of the six questionnaire forms.

<sup>c</sup>This drug was asked about in five of the six questionnaire forms.

<sup>d</sup>This drug was asked about in four of the six questionnaire forms.

<sup>e</sup>Based on data from the revised question that includes "molly" as an example of MDMA

<sup>f</sup>Only drug use that was not under a doctor's orders is included here.

<sup>g</sup>Based on the data from the revised question, which attempts to exclude inappropriate reporting of nonprescription amphetamines.

<sup>h</sup>Daily use is defined as use on 20 or more occasions in the past 30 days except for cigarettes, measured as actual daily use, and 5+ drinks, measured as having five or more drinks in a row in the last two weeks.

<sup>i</sup>This drug was asked about in one of the six questionnaire forms.