

TABLE 1
Annual Prevalence of Use for Various Types of Drugs, 2020:
Full-Time College Students vs. Youth not in College
among Respondents 1 to 4 Years beyond High School
(Entries are percentages.)

	Full-Time <u>College</u>	Youth not <u>in College</u>
Any Illicit Drug ^a	45.6	44.9
Any Illicit Drug other than Marijuana ^a	16.2	19.4
Marijuana	43.9	43.0
Hallucinogens ^c	8.6	9.8
LSD ^c	5.8	7.3
Hallucinogens other than LSD ^c	5.8	6.9
MDMA (Ecstasy, Molly) ^{d,e}	3.7	5.5
Salvia ^b	0.3	2.3
Cocaine	3.8	7.1
Heroin	*	0.4
Narcotics other than Heroin ^f	1.3	3.5
Amphetamines, Adjusted ^{f,g}	6.5	6.3
Sedatives (Barbiturates) ^f	1.7	1.7
Tranquilizers ^f	2.6	3.5
Alcohol	76.7	66.9
Been Drunk ^b	58.0	40.2
Cigarettes	17.5	26.2
Any Vaping	39.6	38.7
Vaping Marijuana	24.6	23.7
Vaping Nicotine	32.6	30.8
Vaping Just Flavoring	13.3	12.1
<i>Approximate Weighted N =</i>	984	565

Source. The Monitoring the Future study, the University of Michigan.

Notes. * * * indicates a prevalence rate of less than 0.05%.

See footnotes following Table 3.

TABLE 2
Thirty-Day Prevalence of Use for Various Types of Drugs, 2020:
Full-Time College Students vs. Youth not in College
among Respondents 1 to 4 Years beyond High School

(Entries are percentages.)

	Full-Time College	Youth not in College
Any Illicit Drug ^a	25.2	30.4
Any Illicit Drug other than Marijuana ^a	6.0	8.9
Marijuana	24.5	29.4
Hallucinogens ^c	2.4	2.8
LSD ^c	1.1	1.8
Hallucinogens other than LSD ^c	1.5	1.7
MDMA (Ecstasy, Molly) ^{d,e}	0.8	1.1
Cocaine	1.4	2.6
Heroin	*	0.3
Narcotics other than Heroin ^f	0.5	1.0
Amphetamines, Adjusted ^{f,g}	1.6	2.8
Sedatives (Barbiturates) ^f	0.5	1.3
Tranquilizers ^f	0.4	1.2
Alcohol	55.7	48.9
Been Drunk ^b	27.6	22.4
Cigarettes	4.1	13.1
Any Vaping	23.9	27.1
Vaping Marijuana	12.4	14.3
Vaping Nicotine	18.6	23.6
Vaping Just Flavoring	5.8	6.4
<i>Approximate Weighted N =</i>	<i>984</i>	<i>565</i>

Source. The Monitoring the Future study, the University of Michigan.

Notes. * * * indicates a prevalence rate of less than 0.05%.

See footnotes following Table 3.

TABLE 3
Thirty-Day Prevalence of Daily^h Use for Various Types of Drugs, 2020:
Full-Time College Students vs. Youth not in College
among Respondents 1 to 4 Years beyond High School

(Entries are percentages.)

	Full-Time College	Youth not in College
Marijuana	7.9	13.0
Alcohol		
Daily	2.4	1.5
5+ Drinks in a Row in Last 2 Weeks	24.2	23.9
Cigarettes		
Daily	1.4	7.0
1/2 Pack+/Day	0.2	2.3
<i>Approximate Weighted N =</i>	<i>984</i>	<i>565</i>

Source. The Monitoring the Future study, the University of Michigan.

Notes. ' * ' indicates a prevalence rate of less than 0.05%.

See footnotes on the following page.

Footnotes for Tables 1 through 3

^aUse of any illicit drug includes any use of marijuana, hallucinogens, cocaine, heroin or other narcotics, amphetamines, sedatives (barbiturates), or tranquilizers not under a doctor's orders.

^bThis drug was asked about in three of the six questionnaire forms.

^cThis drug was asked about in five of the six questionnaire forms.

^dThis drug was asked about in four of the six questionnaire forms.

^eBased on data from the revised question that includes "molly" as an example of MDMA

^fOnly drug use that was not under a doctor's orders is included here.

^gBased on the data from the revised question, which attempts to exclude inappropriate reporting of nonprescription amphetamines.

^hDaily use is defined as use on 20 or more occasions in the past 30 days except for cigarettes, measured as actual daily use, and 5+ drinks, measured as having five or more drinks in a row in the last two weeks.